ELSEVIER

Volume 525, Numbers 1–2, 15 November 1996

Journal of Organometallic Chemistry

Contents

Regular Papers

Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species
L. Yang (Denton, TX, USA), F.L. Wimmer, S. Wimmer (Bandar Seri Begawan, Brunei), J. Zhao and P.S. Braterman (Denton, TX, USA) 1

Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(C_5Me_5)(2,7\text{-}Me_2\text{-}C_{13}H_7)MCl_2$ (M = Zr, Hf)
M.A. Schmid, H.G. Alt und W. Milius (Bayreuth, Deutschland) 9

Unverbrückte Fluorenylkomplexe des Typs $(C_5H_5)(9\text{-}R\text{-}C_{13}H_8)ZrCl_2$ (R = Me_3Si, Alkyl, Aryl): Synthese, Charakterisierung und Anwendung als Katalysatoren bei der homogenen Olefinpolymerisation
M.A. Schmid, H.G. Alt und W. Milius (Bayreuth, Deutschland) 15

Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements
C. Qian, G. Zou and L. Gao (Shanghai, People's Republic of China) 23

Reaction of $[Fe_3(CO)_{12}]$ with bidentate phosphines: redox behavior of products
E. Stein and F.Y. Fujiwara (Campinas, Brazil) 31

Novel coupling reaction of pentaarylantimony with carbon electrophiles
M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma (Osaka, Japan) 39

Organometallic nucleophiles. A mechanistic study of halide displacement at saturated carbon by 2- and 4-pyridyl complexes of palladium(II) and platinum(II)
L. Canovese, F. Visentin, P. Uguagliati (Venezia, Italy), F. Di Bianca, A. Fontana (Palermo, Italy) and B. Crociani (Roma, Italy) 43

Synthesis, structure and spectral properties of $[(HgPh)_2TbSMe]$; a dinuclear 2-*S*-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism
R. Carballo (Vigo, Spain), J.S. Casas, M.S. García-Tasende, A. Sánchez, J. Sordo (Santiago de Compostela, Spain) and E.M. Vázquez-López (Vigo, Spain) 49

Synthesis of cationic arene complexes of iron and ruthenium with 1,2-bis(diisopropylphosphino)ethane (dippe): X-ray crystal structures of $[RuCl(\eta^6\text{-}C_6H_6)(dippe)][BPh_4]$ and $[RuH(\eta^6\text{-}C_6H_6)(dippe)][BPh_4]$
I. De los Ríos, M. Jiménez Tenorio, M.A. Jiménez Tenorio, M.C. Puerta and P. Valerga (Cádiz, Spain) 57

Designing a catalytic synthesis of 4-methylcoumarin from *ortho*-iodophenyl 3-butenoate: ring closure and isomerization control
M. Catellani, G.P. Chiusoli, G. Marzolini and E. Rossi (Parma, Italy) 65

Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges
F. Asaro, R. Dreos (Trieste, Italy), S. Geremia (Ancona, Italy), G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano (Trieste, Italy). . 71

Synthesis, characterization and reactivity of amido titanium and zirconium complexes
H. Mack and M.S. Eisen (Haifa, Israel) 81

Chemie polyfunktioneller Moleküle. CXXII. Das komplexchemische Verhalten von Bis(diphenylphosphino)amin gegenüber Dieisennonacarbonyl und Reaktionen von $[Fe_2(CO)_6(\mu\text{-}CO)(\mu\text{-}Ph_2P\text{–}NH\text{–}PPh_2)] \cdot THF$
J. Ellermann, P. Gabold, F.A. Knoch, M. Moll, D. Pohl, J. Sutter und W. Bauer (Erlangen, Deutschland) 89

Synthesis and structure of $[Tl(C_6F_5)_2Cl\{Au(C_6F_5)_2(PPh_2CH_2PPh_2(O))\}_2]$
B. Alvarez, E.J. Fernández, M.C. Gimeno (Logroño, Spain), P.G. Jones (Braunschweig, Germany), A. Laguna, M. Laguna (Zaragoza, Spain) and J.M. López-de-Luzuriaga (Logroño, Spain) 109

Elsevier Science S.A.

Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl)rhenium(I)-Komplexe η^1-$C_5H_5Re(CO)_3L_2$ mit fluktuierender sp^3- und starrer sp^2-Koordination des C_5H_5-Rings
L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch (Erlangen, Germany) 115

Electrochemical synthesis and reactivity of carbonato–niobocene complexes
S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier (Dijon, France), A. Antiñolo (Ciudad Real, Spain), M. Fajardo (Alcalá de Henares, Spain), S.G. Yuste and A. Otero (Ciudad Real, Spain) 125

Triosmium carbonyl complexes containing bridging ligands derived from *ortho*-functionalized anilines
J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura (Oviedo, Spain) 133

Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis
S. Rapicault, F. Paday and C. Degrand (Aubière, France) 139

Hydroformylation of olefins catalysed with bimetallic systems: $HRh[P(OPh)_3]_4$ + $cp_2ZrH(CH_2PPh_2)$ and $HRh(CO)[P(OPh)_3]_3$ + $cp_2ZrH(CH_2PPh_2)$
A.M. Trzeciak, J.J. Ziółkowski (Wrocław, Poland) and R. Choukroun (Toulouse, France) 145

Asymmetric telomerization of buta-1,3-diene with a pair of different telogens
C. Siv, G. Peiffer and A. Bendayan (Marseille, France) 151

A mechanistic study of thermal $Fe(CO)_5$ mediated CO insertion into vinylcyclopropanes
M.M. Schulze and U. Gockel (Bonn, Germany) 155

Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles
J.M. Smith, S.C. Pelly and N.J. Coville (Johannesburg, South Africa) 159

Polysulfonylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[Me_2Sn(\mu\text{-}OH)\{N(SO_2Me)_2\}(L)]_2$ (L = HMPA, Ph_3PO, Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO
A. Wirth, D. Henschel, P.G. Jones und A. Blaschette (Braunschweig, Germany) 167

Trimethylsilylketene dialkylacetals in organic synthesis: reactions with alkyldiazoacetates
G.S. Zaitseva, O.P. Novikova, E.V. Grigoriev, A.V. Kisin (Moscow, Russia), E.V. Avtomonov and J. Lorberth (Marburg/Lahn, Germany) . . . 175

Synthesis and characterization of tungsten oxo alkylidene complexes via the reaction of $WCl_2(O)\{PX_3\}_3$ (PX_3 = $P(OMe)_3$, PMe_2Ph, $PMePh_2$) with 4,8-dioxaspiro[2,5]oct-1-ene (ketalcyclopropene)
F.J. De la Mata (Alcalá de Henares, Spain) 183

Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[FeIr(\mu\text{-}CO)(CO)_4(\mu\text{-}P^tBu_2)(^tBu_2PH)]$ and $[CoIr(CO)_3(\mu\text{-}H)(\mu\text{-}P^tBu_2)(^tBu_2PH)]$
H.-C. Böttcher, M. Graf and K. Merzweiler (Halle/Saale, Germany) 191

Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Benzoylisothiocyanat
R. Richter, O. Seidelmann, L. Beyer (Leipzig, Deutschland) und H. Plenio (Freiburg, Deutschland) 199

Synthesis and characterisation of monomeric and dimeric 2-substituted η^3-bonded butadienyl complexes of molybdenum(II)
A.G.W. Hodson and S.M. Saunders (Bristol, UK) 207

Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (−)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols
V. Dimitrov, M. Genov, S. Simova (Sofia, Bulgaria) and A. Linden (Zurich, Switzerland) 213

The palladium-catalyzed cross-coupling reaction of 9-organothio-9-borabicyclo[3.3.1]nonanes with organic electrophiles: synthesis of unsymmetrical sulfides
T. Ishiyama, M. Mori, A. Suzuki and N. Miyaura (Sapporo, Japan) 225

Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane
K. Nordström, C. Moberg (Stockholm, Sweden) and A. Heumann (Marseille, France) 233

Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones
M.F. Mahon, K.C. Molloy, B.A. Omotowa (Bath, UK) and M.A. Mesubi (Ilorin, Nigeria) 239

Organolanthanoids. XX. The synthesis of $YbCp_2Cl(THF)_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $YbCp_2X(THF)$ (X = Br or I), and $(YbCp_2X)_2$ (X = Cl, Br, or I) by oxidation of $YbCp_2$ with metal and organic halides, and the determination of the X-ray crystal structure of $YbCp_2I(THF)$
G.B. Deacon, S.C. Harris (Clayton, Australia), G. Meyer (Hannover, Germany), D. Stellfeldt (Clayton, Australia; Hannover, Germany), D.L. Wilkinson (Clayton, Australia) and G. Zelesny (Hannover, Germany) 247

Iron–rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu\text{-}CO)_2(\mu\text{-}dppm)RhI_2]$
I. Mansfield (Liverpool, UK), N. Nawar (Mansoura, Egypt), A.K. Smith and N.C. Tong (Liverpool, UK) 255

Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (*Z*)-α-*N*-Acetylaminozimtsäure
H. Brunner und L. Wagenhuber (Regensburg, Germany) 259

The bonding of acetylene and ethylene in high-valent and low-valent transition metal compounds
U. Pidun and G. Frenking (Marburg, Germany) 269

Metallorganische Verbindungen der Lanthanoide CIX. Organolanthanoidfluoride: Synthese und Strukturaufklärung von trimerem Bis(*tert.*-butylcyclopentadienyl)samarium(III)-fluorid
H. Schumann, M.R. Keitsch, J. Winterfeld und J. Demtschuk (Berlin, Germany) 279

Preliminary Communications

Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition
B. Caro, M.-C. Sénéchal-Tocqeer, D. Sénéchal and F. Robin-le Guen (Lannion, France) 283

Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride
K.A. Rufanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii (Moscow, Russia), E.V. Avtomonov and J. Lorberth (Marburg, Germany) . . . 287

New aspects of the formation of the primary product of the Fischer–Hafner synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr][Al_3OCl_8]$
A. Fischer (Aachen, Germany) 291

New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position
I. Orabona, A. Panunzi and F. Ruffo (Napoli, Italy) 295

Diphosphine analogues of proton sponge: X-ray crystal structure of $[Pd(\eta^3\text{-allyl})(dppn)]BF_4 \cdot CH_2Cl_2$ (dppn = 1,8-bis(diphenylphosphino)naphthalene)
S.L. James, A.G. Orpen and P.G. Pringle (Bristol, UK) 299

Book Reviews 303

Author Index 305

Subject Index 307

Conference Calendar 315

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.